Claim Withdrawn. Contains No CBI. 7/29/16 JA

Privaleged and Confidential - Prepared at the Request of Counsel



40424 Air Liquide Facility Fire La Porte, TX Summary of Community Real-Time Air Monitoring

This report discusses all manually-logged real-time readings in the community during CTEH® response efforts. A total of 251 manually-logged real-time readings were collected in the community during initial response efforts (February 9 and 10). Four additional real-time readings for methyl methacrylate were collected in the community on February 25 in response to changing site conditions. A summary of real-time manually-logged air monitoring results collected from within the community is provided in the table below. Daily maps of real-time hand-held readings from within the community on these three dates are provided in the following attachments.

Table 1. Community Real-Time Readings


Community Real-Time Readings			
Analyte	Number of Readings	Number of Detections	Range of Detections
LEL	14	0	n/a
Methyl Methacrylate	4	0	n/a
PM ₁₀	51	51	0.024 - 0.1 mg/m ³
VOC	186	0	n/a



Attachment 1

Daily Maps of Community Real-Time Hand-Held Air Monitoring Locations








Air Liquide - La Porte, TX Real-Time Community Readings 2/10/2013



Project: #40424 Client: Air Liquide City: La Porte, TX County: Harris





Air Liquide - La Porte, TX Real-Time Community Readings 2/25/2013



Project: #40424 Client: Air Liquide City: La Porte, TX County: Harris

